



# ID Card – Dihydrogen tetrachloropalladate(2-) (in solution)

Version 10 March 2021

## Notes:

- This ID card is used to support the substance sameness discussions and to describe the substance to the best of the members' knowledge.
- It also aims at grouping communications relevant to the request of available data or information, the approval of the proposed Lead Registrant and the registration strategy.
- It is the responsibility of each individual registrant to identify their substance and to report company-specific identity in their Registration Dossier (section 1 of IUCLID).

## DISCLAIMER

All data and information contained in this document shall be treated by the receiving party (i) in full confidence with the adequate respect of any confidential and/or proprietary nature of such information and (ii) only in the framework of the purpose of agreeing on substance sameness, Lead Registrant and overall REACH Strategy for the concerned Substance under REACH (the 'Purpose').

The receiving party (and any representative) shall not be allowed to use or circulate any or all parts of this document for any other purpose than the Purpose, without the prior written consent of the European Precious Metals Federation (EPMF).

The content provided in this document is given for the Purpose and as such, no guarantee or warranty whatsoever (expressed or implied) is given as to its accuracy, completeness, merchantability or fitness for any particular purpose which the receiving party may have. In any case, any use by the receiving party would be made at its sole risk and liability.

## 1. Identification of the substance

Table 1. Identification of the substance

	Original (in EC inventory)
Name	Dihydrogen tetrachloropalladate(2-)
EC number	241-047-9
CAS number	16970-55-1
Description	Not available
Composition type	Mono-constituent substance

## 2. Synonyms and other identifiers of the substance

Table 2. Synonyms and other identifiers of the substance

IUPAC name	Palladium(4+) tetrachloride
CAS name	Palladate(2-), tetrachloro-, hydrogen (1:2), (SP-4-1)-
Abbreviations	
Other commercial or international names	Palladium(2+) hydrogen chloride(1:2:4) Dihydrogen palladium tetrachloride Hydrogen chloropalladate Hydrogen tetrachloropalladate(II) Hydrogen tetrachloropalladium (II) Palladate(2-), tetrachloro-, dihydrogen Tetrachloropalladic acid
Other identity codes	



### 3. Substances (with core identifiers) also falling under this substance (with justification)

None

### 4. Information related to molecular and structural formula of the substance

Table 3. Information related to molecular and structural formula of the substance

<b>Molecular formula</b>	H <sub>2</sub> Cl <sub>4</sub> Pd
<b>Structural formula</b>	$\begin{array}{c} \text{Cl}^- \\   \\ \text{Cl}^- - \text{Pd}^{2+} - \text{Cl}^- \\   \\ \text{Cl}^- \\ \\ \bullet 2 \text{ H}^+ \end{array}$
<b>Smiles notation</b>	[H+].[H+].Cl[Pd-2](Cl)(Cl)Cl
<b>Optical activity</b>	Not applicable
<b>Typical ratio of (stereo) isomers</b>	Not applicable
<b>Molecular Weight / Molecular Weight range</b>	250,25 g/mol

### 5. Typical composition of the substance

Table 4. Typical composition solution

	Name	Symbol / Formula	Min & Max concentrations (%) <sup>§</sup>	Typical concentration (%) <sup>§§</sup>
<b>Main constituent(s)*</b>	Dihydrogen tetrachloropalladate(2-)	H <sub>2</sub> Cl <sub>4</sub> Pd	24 - 59 <sup>§</sup>	47
<b>Impurity(ies)<sup>#</sup></b>	Several minor (especially metallic) impurities which do not affect the classification of the substance because of their non-hazardous nature or because they do not exceed the classification cut-off limits in the substance	e.g. Ag, Au, Cu, Ir, Pb, Pt, Rh, Ru	0 - 0,1	< 0,1
<b>Additives</b>	Water	H <sub>2</sub> O	28 - 51	35
	Hydrogen chloride	HCl	13 - 25	18

\* ≥ 80 % (w/w) for mono-constituent substances; ≥ 10 % (w/w) and < 80 % (w/w) for multi-constituent substances.

# An impurity is an unintended constituent present in a substance, as produced. It may originate from the starting materials or be the result of secondary or incomplete reactions during the production process. While impurities are present in the final substance, they were not intentionally added.

§ Concentration ranges define the substance sameness criteria agreed by all Consortium Members in preparation of the communication with other SIEF members.

§§ Typical concentration refers to the representative sample used for testing.

§ Corresponds to 10 - 25 % Pd.

Justification for deviation of the rule that for mono-constituent substances the main constituent is expected to be present as a minimum at 80%:

Dihydrogen tetrachloropalladate(2-) (H<sub>2</sub>[PdCl<sub>4</sub>], EC 241-047-9, CAS 16970-55-1) is produced by dissolving PdCl<sub>2</sub> in diluted solution of hydrochloric acid.

H<sub>2</sub>[PdCl<sub>4</sub>] as such cannot be isolated and does not exist in pure form.

H<sub>2</sub>PdCl<sub>4</sub> is only brought on the market in solution (usually with 10 – 25 % Pd content). The most concentrated solution contains 59 % of H<sub>2</sub>[PdCl<sub>4</sub>]. When trying to further concentrate the solution, e.g. by



evaporation on a water bath, H<sub>2</sub>O and HCl starts to evolve. In addition, the H<sub>2</sub>[PdCl<sub>4</sub>] hydrolyses to Palladium chloride hydroxide moieties and Palladium dihydroxide.

That means, that an amount of 41 % of solvent, in this case a solution of hydrochloric acid (HCl + H<sub>2</sub>O), is necessary to preserve the stability of H<sub>2</sub>[PdCl<sub>4</sub>]. As this minimum quantity of solvent rather acts as stabilizing agent, it is regarded as an additive and not as a solvent only.

Though its typical concentration is below 80 % (w/w), H<sub>2</sub>PdCl<sub>4</sub> is regarded as mono-constituent substance.

Referring to the example 7.1 (pg 63) of the “Guidance for identification and naming of substances under REACH and CLP”, H<sub>2</sub>[PdCl<sub>4</sub>] is registered as solution with the lowest concentration of hydrochloric acid solution which guarantees stability of H<sub>2</sub>[PdCl<sub>4</sub>]. Hydrochloric acid solution (HCl + H<sub>2</sub>O) with an upper concentration limit of 41 % is reported as an “Additive” with stabilizing function.

Calculation of the ‘typical concentration’ values of the legal entity composition based on the analytical information as provided in section 1.4:

H<sub>2</sub>[PdCl<sub>4</sub>] is usually put on the market in form of diluted hydrochloric acid solutions.

Therefore, it can be assumed that diluted hydrochloric acid solutions are generally used to generate the analytical information required for section 1.4.

Furthermore, it is being expected that the quantitative analytical information is based on the following parameters:

- Pd content
- content of Free acid or Hydrogen chloride (HCl)
- content of impurities

In order to fulfil ECHA requirements on substance identification, the parameter for diluted solutions as given above must be converted into a legal entity specific composition with the highest known content of H<sub>2</sub>[PdCl<sub>4</sub>] = 59 % (w/w).

In addition, only the amount of diluted hydrochloric acid (HCl + water) that act both as solvent and as stabilizer may be reported.

To do so, the following information is needed:

Parameters	Measured concentration, related to the diluted solution (values from section 1.4)
Pd content	Pd <sub>measured</sub> [% (w/w)]
MW <sub>Pd</sub> = 106.42 g/mol	
MW <sub>H<sub>2</sub>PdCl<sub>4</sub></sub> = 250.25 g/mol	
H <sub>2</sub> [PdCl <sub>4</sub> ] content	H <sub>2</sub> [PdCl <sub>4</sub> ] = Pd <sub>measured</sub> [% (w/w)] x 250.25 / 106.42
Content of Free acid or Hydrogen chloride (HCl)	HCl <sub>measured</sub> [% (w/w)]
Content of Impurities	Impurities <sub>measured</sub> [% (w/w)]

According to the following scheme, the measured values can be converted into the typical concentrations of the legal entity composition which is based on the highest known content of H<sub>2</sub>[PdCl<sub>4</sub>] = 59 % (w/w):

Constituents	Typical concentration(s)
H <sub>2</sub> PdCl <sub>4</sub>	59 [% (w/w)]
Impurities	
Several minor impurities / Generic	Impurities <sub>converted</sub> [% (w/w)] = Impurities <sub>measured</sub> [% (w/w)]



entry to describe...	Remark: as the content of impurities is expected to be $\leq 0.1\%$ (w/w), no further conversion required
<b>Additives</b>	
HCl	$HCl_{converted} [\% (w/w)] = 59 [\% (w/w)] \times HCl_{measured} [\% (w/w)] / H_2[PdCl_4] [\% (w/w)]$
Water	$Water_{converted} [\% (w/w)] = 100 - 59 [\% (w/w)] - HCl [\% (w/w)] - Impurities_{measured} [\% (w/w)]$

The typical concentration values converted this way are to be specified in the legal entity composition, supplemented by the “justification for deviation of the rule that for mono-constituent substances the main constituent is expected to be present as a minimum at 80 %” in the ‘Justification for deviations’ field.

## 6. Information on appearance, physical state and properties of the substance

**Table 5. Appearance / physical state / properties of the substance in solution\***

<b>Physical state</b>	Solution
<b>Solvent</b>	Diluted hydrochloric acid (H <sub>2</sub> O + HCl)
<b>Concentration range of substance in solution</b>	24 - 59 % <sup>§</sup>
<b>pH (range) of the solution</b>	<1
<b>Excess acid</b>	HCl 0-10%

\* For liquid substances (solvent cannot be separated from substance without changing the identity of the substance) and not for mixtures, suspensions, and other non-substance forms in which the substance is manufactured and/or imported under REACH.

<sup>§</sup> Corresponds to 10-25 % Pd.

## 7. Analytical data

Annex VI of REACH requires the registrant to describe the analytical methods and/or to provide the bibliographical references for the methods used for identification of the substance and, where appropriate, for the identification of impurities and additives. This information should be sufficient to allow the methods to be reproduced.

**Table 6. Analytical methods for identification of the substance**

Parameter / Method	Recommended for substance identification and sameness check	Applicable	Not applicable or not recommended
<b>Elemental analysis</b>			
ICP (ICP-MS or ICP-OES)	X		
Atomic absorption spectroscopy (AAS)			
Glow discharge mass spectrometry (GDMS)			
<b>Molecular analysis</b>			
Infrared (IR) spectroscopy			
Raman spectroscopy	X		
<b>Mineralogical analysis</b>			
X-Ray Fluorescence (XRF)			X
X-Ray Diffraction (XRD)			X
<b>Morphology and particle sizing</b>			
Electron microscopy (SEM, TEM, REM)* #			X



Laser diffraction* #			X
Particle size by other means (e.g. sieve analysis)#			X
Surface area by N-BET* #			X
<b>Other</b>			

\* Analytical techniques particularly (but not exclusively) relevant for nanomaterials.

# The choice of the technique for particle size depends on the size of the material as manufactured/imported/placed on the market/use



## 8. Lead Registrant

Heraeus Precious Metals GmbH & Co. KG (Germany) is the Lead Registrant for Dihydrogen tetrachloropalladate(2-). The EPMF will provide support to the Lead Registrant as laid down in the EPMF Agreement.

## 9. REACH Strategy

The table below presents the overall Registration Strategy for Dihydrogen tetrachloropalladate(2-) based on the information available to the EPMF by the date given above on the document.

The Registration Dossier will be prepared for the highest substance status (information requirements associated to a substance or Article 10 Registration being higher than an intermediate handled under strictly controlled conditions or Article 17 or 18 one) and associated tonnage band.

The recap below therefore reflects the scope of work of the EPMF for Dihydrogen tetrachloropalladate(2-) and sets the minimum and maximum set of information that has been gathered and/or produced when preparing the Registration Dossier for Dihydrogen tetrachloropalladate(2-) as described in this ID Card.

If higher information requirements are necessary, these can be included in the Registration dossier (if EPMF is made aware of these additional requirements in-time) as an update to the already submitted dossier.

**Table 7. REACH strategy for the substance (basis for REACH Registration preparation)**

Item	Description
<b>REACH category</b>	Mono-constituent substance
<b>Highest status</b>	Substance
<b>Highest tonnage band</b>	10-100 t/a
<b>Information requirements</b>	Available / Existing + Annex VII + Annex VIII
<b>Existing classification*</b>	<p>Met. Corr. 1 (H290)</p> <p>Acute Tox. 4 (H302)</p> <p>Skin Corr 1A (H314)</p> <p>Skin Sens 1A (H317)</p> <p>Eye Dam. 1 (H318)</p> <p>Aquatic Acute 1 (H400) (M-factor 100)</p> <p>Aquatic Chronic 1 (H410) (M-factor 10)</p> <p>EUH071: Corrosive to the respiratory tract</p>
<b>Registration deadline</b>	2018

\* For the pure form, as in the REACH registration dossier

## 10. Scope of the Registration Dossier

The uses included in this Registration Dossier are listed on the [EPMF website](#).

## 11. Analytical reference information

Below the results of Raman analysis of a reference sample used for testing.

Spectrometer: Bruker RFS 100/S  
 Laser: NdYAG 1064 nm  
 Spectral range: 3500 – 50 cm<sup>-1</sup>  
 Resolution: 2 cm<sup>-1</sup>  
 Scans: 300 scans  
 Temperature: ambient  
 Sample preparation: liquid phase (water), glass vial, closed




Figure 1. Raman spectrum of Dihydrogen tetrachloropalladate(2-)